

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	uart near5 ((reduc\$4 or lower or minimiz\$4 or slow)near3 (power or clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:38
L2	139885	(clock near3 (control\$4 or switch\$4 or chang\$4 or reduced or lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:53
L3	2	(clock near3 (control\$4 or switch\$4 or chang\$4 or reduced or lower))with (((reduc\$4 or lower or minimiz\$4)near3 power)near3 UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:58
L4	1	((selecti\$4 or adapt\$5)near4 (switch\$4 or chang\$4 or lower\$4))near6 (mode or state))with uart	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:47
L5	3	(clock near3 (control\$4 or switch\$4 or chang\$4 or reduced or lower))same (((reduc\$4 or lower or minimiz\$4)near3 power)near3 UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:32
L6	1499	l2 and UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:54
L7	92250	(communicati\$4 or transmi\$4 or receiv\$4)same ((low or reduc\$4 or sleep or inactive)near2 (power or state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:57
L8	459	l6 and ((communicati\$4 or transmi\$4 or receiv\$4)same ((low or reduc\$4 or sleep or inactive)near2 (power or state)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:00

L9	459	l8 and (clock near3 (control\$4 or switch\$4 or chang\$4 or reduced or lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 14:58
L10	716	l6 and (serial adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:00
L11	459	l8 and ((communicati\$4 or transmi\$4 or receiv\$4)same ((low or reduc\$4 or sleep or inactive)near2 (power or state)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:01
L12	114	l11 and (interface adj circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:08
L13	289	((selecti\$4 or adapt\$5)near5 (switch\$4 or select\$4 or chang\$4 or alter\$5))with ((serial or parallel)near4 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:11
L14	10	l13 same UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:14
L15	77	((low or reduced or minimiz\$4)adj3 (state or power or mode))with UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:24
L16	22572	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:29

L17	92	((low or reduced or minimiz\$4 or inactive or idle)adj3 (state or power or mode))with UART	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:24
L18	18	l16 and (((low or reduced or minimiz\$4 or inactive or idle)adj3 (state or power or mode))with UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:30
L19	104177	"327"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:29
L20	56641	"375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:30
L21	2	l19 and (((low or reduced or minimiz\$4 or inactive or idle)adj3 (state or power or mode))with UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:31
L22	9	l20 and (((low or reduced or minimiz\$4 or inactive or idle)adj3 (state or power or mode))with UART)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:30
L23	2	L16 and ((clock near3 (control\$4 or switch\$4 or chang\$4 or reduced or lower))same (((reduc\$4 or lower or minimiz\$4)near3 power)near3 UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:35
L24	1	L19 and ((clock near3 (control\$4 or switch\$4 or chang\$4 or reduced or lower))same (((reduc\$4 or lower or minimiz\$4)near3 power)near3 UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:34

L25	1	L20 and ((clock near3 (control\$4 or switch\$4 or chang\$4 or reduced or lower))same (((reduc\$4 or lower or minimiz\$4)near3 power)near3 UART))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:34
L26	13	(uart with ((parallel or srial)near2 interface))same clock\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:39
L27	16	((uart same ((parallel or srial)near2 interface))same clock\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:41
L28	1171	((uart and ((clock or frequenc\$4 or speed) near4 (control\$4 or adjust\$4 or selecti\$4 or switch\$3 or adapt\$4))))and (power near3 (low\$4 or reduc\$5 or optimiz\$4 or minimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:46
L29	210	((uart same ((clock or frequenc\$4 or speed) near4 (control\$4 or adjust\$4 or selecti\$4 or switch\$3 or adapt\$4))))and (power near3 (low\$4 or reduc\$5 or optimiz\$4 or minimiz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:48
L30	2	l29 and (parallel with ((one or first)adj3 (clock or rate or speed)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:52
L31	4	l29 and (serial with ((other or second)adj3 (clock or rate or speed)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:53
L32	79	l29 and (serial adj2 communicati\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:54

L33	9	I32 and (parallel adj2 communicati\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:55
-----	---	---	---	----	-----	------------------



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

Nothing Found

Your search for **+author:wingen +author:Neal** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**[Help](#)**To Locate an Author:**

1. Enter a last name or select a letter in the alphabet.
2. Once you identify the name, select it to search the database for relevant articles.

1.Options:

» Enter a name to find an author:



Example: Enter Lockett S to obtain a list of authors with the last name Lockett and first name initial S.
OR» Select a letter to browse the author list:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z | ALL**2. Select an author name to search the database for relevant articles:**Wingen G.Wingenroth J.Wingenroth J. L.**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z | ALL**

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Print Format

[Search Results](#) [PDF FULL-TEXT 204 KB] [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)


An in-band power-saving protocol for mobile data networks

Salkintzis, A.K. Chamzas, C.

Dept. of Comput. Eng., Democritus Univ. of Thrace, Xanthi, Greece;

*This paper appears in: **Communications, IEEE Transactions on***

Publication Date: Sept. 1998

On page(s): 1194 - 1205

Volume: 46 , Issue: 9

ISSN: 0090-6778

Reference Cited: 22

CODEN: IECMBT

Inspec Accession Number: 6030061

Abstract:

A new alternative is proposed for **reducing** the **power** consumption of the po (battery-**powered**) units operating in a mobile packet-data network. First, a r the current **power-saving** protocols is given. It is shown that the most comm for conserving **power** is the intermittent operation of the receivers (at the por and a central administration authority that synchronizes the receivers. Some d of the synchronous operation lead us to the introduction of an asynchronous **p saving** protocol, where no central synchronization is necessary and where ea may control its **power** consumption relative to its current needs. According to proposed **power-saving** page-and-answer protocol, an acknowledgment pag procedure is preceding every packet transmission in order to alert mobile term pending traffic. Steady-state performance is evaluated with the aid of simulat relationship between the achieved **power-saving** and the mean packet delay degradation is presented. Finally, we express some notable implementation is some considerations regarding the employment of this protocol as a suppleme **power-saving** service in microcellular mobile data networks and wireless loca networks

Index Terms:

cellular radio data communication delays land mobile radio packet radio networks communication **power** consumption **power** control protocols radio receivers teleco control telecommunication traffic wireless LAN acknowledgment paging procedure a **power-saving** protocol battery-**powered** units central administration authority in-ban

saving protocol intermittent operation mean packet delay degradation microcellular m
networks mobile packet-data network mobile terminals packet transmission portable
power consumption reduction power control power management power-saving pag
answer protocol receivers simulation steady-state performance synchronous operat
wireless local area networks

Documents that cite this document

Select link to view other documents in the database that cite this one.

Reference list:

- 1, A. S.Hon, "An introduction to paging—What it is and how it works," *Motoro Electronics Pet, Ltd.*, 1994.
- 2, *MOBITEX Interface Specification: RAM Mobile Data*, 1993.
- 3, A. K.Salkintzis and C.Chamzas, "Mobile packet data technology: A survey o MOBITEX," *IEEE Personal Commun.*, vol. 4, pp. 10-18, Feb. 1997.
[\[Abstract\]](#) [\[PDF Full-Text \(3084KB\)\]](#)
- 4, J.Mello Jr. and P.Wayner, "Wireless mobile communication," *Byte*, pp. 147 1993.
- 5, H.Kobayashi and A. G.Konheim, "Queueing models for computer communi system analysis," *IEEE Trans. Commun.*, vol. COM-25, pp. 2-28, 1977.
- 6, N.Abramson, "Multiple access in wireless digital networks," *Proc. IEEE*, vol. 1360-1369, Sept. 1994.
[\[Abstract\]](#) [\[PDF Full-Text \(968KB\)\]](#)
- 7, S. S.Lam, "Delay analysis of a time division multiple access (TDMA) chann *Trans. Commun.*, vol. COM-25, pp. 1489-1494, Dec. 1977.
- 8, J. E.Padgett, C. G.Guenther, and T.Hattori, "Overview of wireless personal communications," *IEEE Commun. Mag.*, vol. 33, pp. 28-41, Jan. 1995.
- 9, L.Kleinrock, *Queueing Systems Vol. I: Theory*, New York: Wiley-Interscien
- 10, L.Kleinrock, *Queueing Systems Vol. II: Computer Applications*, New York: Interscience, 1976.
- 11, R.Steele, *Mobile Radio Communications* Piscataway, NJ: IEEE Press–Pente 1994.
- 12, *CDPD Interface Specification: CDPD Forum*, Jan. 1995.
- 13, *Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifica Draft Standard 802.11 D3.1*, Apr. 1996.
- 14, D.Makishima and B.Ohara, "IEEE 802.11 standards create new options fo LAN connectivity," *Mobile Comput. Technol.*, pp. 23-37, Nov./Dec. 1995.
- 15, S.Chatzis, A. K.Salkintzis, and C.Chamzas, "An energy saving protocol for

networks using out-of-band signalling," *5th Pan-Hellenic Computer Science Co* Greece, Dec. 7-9, 1995.

16, A. K.Salkintzis, C.Chamzas, and C.Koukourlis, "An energy saving protocol for data networks," *Int. Conf. Advances in Communication and Control (COMCON)* 26-30, 1995.

17, A. K.Salkintzis, S.Chatzis, and C.Chamzas, "An energy-efficient protocol for mobile computing environments," *Int. Workshop on Mobile Communications* Thessaloniki, Greece, Sept. 19-21, 1996.

18, A. K.Salkintzis and C.Chamzas, "An outband paging protocol for energy-efficient mobile computing," *IEEE Trans. Commun.*, submitted for publication.

19, A. K.Salkintzis, J.Plevridis, C.Koukourlis, and C.Chamzas, "Design and implementation of a low-cost wireless network for remote control and monitoring applications," *Microprocessors Microsyst.*, vol. 21, no. 2, pp. 79-88, Oct. 1997

20, R. E.Kahn *et al.*, "Advances in packet radio technology," *Proc. IEEE*, vol. 66, pp. 1468-1496, Nov. 1978.

21, F. A.Tobagi *et al.*, "Modeling and measurement techniques in packet communication networks," *Proc. IEEE*, vol. 66, pp. 1423-1447, Nov. 1978.

22, K.Pahlavan and A. H.Levesque, "Wireless data communications," *Proc. IEEE*, pp. 1398-1430, Sept. 1994.


[Abstract] [PDF Full-Text (3216KB)]

[Search Results](#) [PDF FULL-TEXT 204 KB] [PREV](#) [NEXT](#) [DOWNLOAD CITATION](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


IEEE Xplore®
RELEASE 1.8

 Welcome
United States Patent and Trademark Office


» Sea

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Full-text Search Prototype Results

Feed

Your search matched **30** of **1043385** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 RF Rendez-Blue: reducing power and inquiry costs in Bluetooth-enabled mobile systems

Hall, E.S.; Vawdrey, D.K.; Knutson, C.D.;

Computer Communications and Networks, 2002. Proceedings. Eleventh International Conference on , 14-16 Oct. 2002

Pages:640 - 645

[\[Abstract\]](#) [\[PDF Full-Text \(293 KB\)\]](#) IEEE CNF

2 Analysis of power dissipation in embedded systems using real-time operating systems

Dick, R.P.; Lakshminarayana, G.; Raghunathan, A.; Jha, N.K.;

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on , Volume: 22 , Issue: 5 , May 2003

Pages:615 - 627

[\[Abstract\]](#) [\[PDF Full-Text \(1684 KB\)\]](#) IEEE JNL

3 Mica: a wireless platform for deeply embedded networks

Hill, J.L.; Culler, D.E.;

Micro, IEEE , Volume: 22 , Issue: 6 , Nov.-Dec. 2002

Pages:12 - 24

[\[Abstract\]](#) [\[PDF Full-Text \(553 KB\)\]](#) IEEE JNL

4 An evolutionary approach to configuring an embedded system based power consumption

Northern, J., III; Shanblatt, M.;

System-on-Chip for Real-Time Applications, 2003. Proceedings. The 3rd IEEE International Workshop on , 30 June-2 July 2003
Pages:201 - 204

[\[Abstract\]](#) [\[PDF Full-Text \(267 KB\)\]](#) IEEE CNF

5 A software-defined communications baseband design

Glossner, J.; Iancu, D.; Jin Lu; Hokenek, E.; Moudgill, M.;

Communications Magazine, IEEE , Volume: 41 , Issue: 1 , Jan. 2003
Pages:120 - 128

[\[Abstract\]](#) [\[PDF Full-Text \(662 KB\)\]](#) IEEE JNL

6 An implementation of wireless sensor network

Soo-Hwan Choi; Byung-Kug Kim; Jinwoo Park; Chul-Hee Kang; Doo-Seop Eom
Consumer Electronics, IEEE Transactions on , Volume: 50 , Issue: 1 , Feb. 200
Pages:236 - 244

[\[Abstract\]](#) [\[PDF Full-Text \(763 KB\)\]](#) IEEE JNL

7 A 600-MHz single-chip multiprocessor with 4.8-GB/s internal shared pipelined bus and 512-kB internal memory

*Kaneko, S.; Kondo, H.; Masui, N.; Ishimi, K.; Itou, T.; Satou, M.; Okumura, N
Takata, Y.; Takata, H.; Sakugawa, M.; Higuchi, T.; Ohtani, S.; Sakamoto, K.;
Ishikawa, N.; Nakajima, M.; Iwata, S.; Hayase, K.; Nakano, S.; Nakazawa, S.
Yamada, K.; Shimizu, T.;*

Solid-State Circuits, IEEE Journal of , Volume: 39 , Issue: 1 , Jan. 2004
Pages:184 - 193

[\[Abstract\]](#) [\[PDF Full-Text \(856 KB\)\]](#) IEEE JNL

8 Go reconfigure [programmable logic in handheld devices]

Tredennick, N.; Shimamoto, B.;

Spectrum, IEEE , Volume: 40 , Issue: 12 , 2003
Pages:36 - 40

[\[Abstract\]](#) [\[PDF Full-Text \(1955 KB\)\]](#) [\[Full-Text HTML\]](#) IEEE JNL

9 Network architecture for home energy management system

Inoue, M.; Higuma, T.; Ito, Y.; Kushiro, N.; Kubota, H.;

Consumer Electronics, IEEE Transactions on , Volume: 49 , Issue: 3 , Aug. 200
Pages:606 - 613

[\[Abstract\]](#) [\[PDF Full-Text \(815 KB\)\]](#) IEEE JNL

10 Stress monitoring using a distributed wireless intelligent sensor sys

Jovanov, E.; O'Donnell Lords, A.; Raskovic, D.; Cox, P.G.; Adhami, R.; Andras F.;

Engineering in Medicine and Biology Magazine, IEEE , Volume: 22 , Issue: 3 ,
June 2003
Pages:49 - 55

[\[Abstract\]](#) [\[PDF Full-Text \(512 KB\)\]](#) [IEEE JNL](#)

11 Applicati ns of asynchronous circuits

Van Berkel, C.H.; Josephs, M.B.; Nowick, S.M.;

Proceedings of the IEEE , Volume: 87 , Issue: 2 , Feb. 1999

Pages:223 - 233

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) [IEEE JNL](#)

12 Platune: a tuning framework for system-on-a-chip platforms

Givargis, T.; Vahid, F.;

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on , Volume: 21 , Issue: 11 , Nov. 2002

Pages:1317 - 1327

[\[Abstract\]](#) [\[PDF Full-Text \(524 KB\)\]](#) [IEEE JNL](#)

13 System-level exploration for Pareto-optimal configurations in parameterized system-on-a-chip

Givargis, T.; Vahid, F.; Henkel, J.;

Very Large Scale Integration (VLSI) Systems, IEEE Transactions on , Volume: 10 , Issue: 4 , Aug. 2002

Pages:416 - 422

[\[Abstract\]](#) [\[PDF Full-Text \(310 KB\)\]](#) [IEEE JNL](#)

14 Itsy: stretching the bounds of mobile computing

Hamburgen, W.R.; Wallach, D.A.; Viredaz, M.A.; Brakmo, L.S.; Waldspurger, Bartlett, J.F.; Mann, T.; Farkas, K.I.;

Computer , Volume: 34 , Issue: 4 , April 2001

Pages:28 - 36

[\[Abstract\]](#) [\[PDF Full-Text \(1756 KB\)\]](#) [IEEE JNL](#)

15 Platform tuning for embedded systems design

Vahid, F.; Givargis, T.;

Computer , Volume: 34 , Issue: 3 , March 2001

Pages:112 - 114

[\[Abstract\]](#) [\[PDF Full-Text \(152 KB\)\]](#) [IEEE JNL](#)

[1](#) [2](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 [Print Format](#)**Full-text Search Prototype Results**

Feed

Your search matched **15** of **30** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:**

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Mica: a wireless platform for deeply embedded networks

Hill, J.L.; Culler, D.E.;

Micro, IEEE , Volume: 22 , Issue: 6 , Nov.-Dec. 2002

Pages:12 - 24

[\[Abstract\]](#) [\[PDF Full-Text \(553 KB\)\]](#) **IEEE JNL**

2 A software-defined communications baseband design

Glossner, J.; Iancu, D.; Jin Lu; Hokenek, E.; Moudgill, M.;

Communications Magazine, IEEE , Volume: 41 , Issue: 1 , Jan. 2003

Pages:120 - 128

[\[Abstract\]](#) [\[PDF Full-Text \(662 KB\)\]](#) **IEEE JNL**

3 An implementation of wireless sensor network

Soo-Hwan Choi; Byung-Kug Kim; Jinwoo Park; Chul-Hee Kang; Doo-Seop Eom

Consumer Electronics, IEEE Transactions on , Volume: 50 , Issue: 1 , Feb. 200

Pages:236 - 244

[\[Abstract\]](#) [\[PDF Full-Text \(763 KB\)\]](#) **IEEE JNL**

4 Go reconfigure [programmable logic in handheld devices]

Tredennick, N.; Shimamoto, B.;

Spectrum, IEEE , Volume: 40 , Issue: 12 , 2003

Pages:36 - 40

[\[Abstract\]](#) [\[PDF Full-Text \(1955 KB\)\]](#) [\[Full-Text HTML\]](#) **IEEE JNL**

5 Network architecture for home energy management system*Inoue, M.; Higuma, T.; Ito, Y.; Kushiro, N.; Kubota, H.;*Consumer Electronics, IEEE Transactions on , Volume: 49 , Issue: 3 , Aug. 2000
Pages:606 - 613[\[Abstract\]](#) [\[PDF Full-Text \(815 KB\)\]](#) IEEE JNL

6 Stress monitoring using a distributed wireless intelligent sensor sys*Jovanov, E.; O'Donnell Lords, A.; Raskovic, D.; Cox, P.G.; Adhami, R.; Andras F.;*

Engineering in Medicine and Biology Magazine, IEEE , Volume: 22 , Issue: 3 , June 2003

Pages:49 - 55

[\[Abstract\]](#) [\[PDF Full-Text \(512 KB\)\]](#) IEEE JNL

7 Analysis of power dissipation in embedded systems using real-time operating systems*Dick, R.P.; Lakshminarayana, G.; Raghunathan, A.; Jha, N.K.;*

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on , Volume: 22 , Issue: 5 , May 2003

Pages:615 - 627

[\[Abstract\]](#) [\[PDF Full-Text \(1684 KB\)\]](#) IEEE JNL

8 Applications of asynchronous circuits*Van Berkel, C.H.; Josephs, M.B.; Nowick, S.M.;*

Proceedings of the IEEE , Volume: 87 , Issue: 2 , Feb. 1999

Pages:223 - 233

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) IEEE JNL

9 Platform tuning for embedded systems design*Vahid, F.; Givargis, T.;*

Computer , Volume: 34 , Issue: 3 , March 2001

Pages:112 - 114

[\[Abstract\]](#) [\[PDF Full-Text \(152 KB\)\]](#) IEEE JNL

10 A headset-based minimized wearable computer*Matsushita, S.;*

Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 16 , Issue: 3 , May June 2001

Pages:28 - 32

[\[Abstract\]](#) [\[PDF Full-Text \(452 KB\)\]](#) IEEE JNL

11 Low-power system-on-chip architecture for wireless LANs*Bisdounis, L.; Dre, C.; Blionas, S.; Metafas, D.; Tatsaki, A.; Ieromnimon, F.; M E.; Rouzet, P.; Zafalon, R.; Benini, L.;*

Computers and Digital Techniques, IEE Proceedings- , Volume: 151 , Issue: 1 , Jan. 2004

Pages:2 - 15

[\[Abstract\]](#) [\[PDF Full-Text \(1649 KB\)\]](#) **IEEE JNL**

12 A simulation-based power-aware architecture exploration for a multiprocessor system-on-chip design

Menichelli, F.; Olivieri, M.; Benini, L.; Donno, M.; Bisdounis, L.;
Design, Automation and Test in Europe Conference and Exhibition, 2004.
Proceedings , Volume: 3 , 16-20 Feb. 2004
Pages:312 - 317

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) **IEEE CNF**

13 A distributed computation platform for wireless embedded sensing

Savvides, A.; Srivastava, M.B.;
Computer Design: VLSI in Computers and Processors, 2002. Proceedings. 200
IEEE International Conference on , 16-18 Sept. 2002
Pages:220 - 225

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) **IEEE CNF**

14 Power saving modes in modern microcontroller design and chip diagnostics

Jankovic, S.A.; Maksimovic, D.M.;
Microelectronics, 2002. MIEL 2002. 23rd International Conference on , Volume
2 , 12-15 May 2002
Pages:593 - 596

[\[Abstract\]](#) [\[PDF Full-Text \(226 KB\)\]](#) **IEEE CNF**

**15 IEEE Std 802.15.1 IEEE Standard for Information technology-
Telecommunications and information exchange between systems- Local
and metropolitan area networks- Specific requirements Part 15.1:
Wireless Medium Access Control (MAC) and Physical Layer (PHY)
Specifications for Wireless Personal Area Networks (WPANs)**

IEEE Std 802.15.1-2002 , 2002
Pages:0_1 - 0_3

[\[Abstract\]](#) [\[PDF Full-Text \(9782 KB\)\]](#) **IEEE STD**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



» Sea

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 [Print Format](#)**Full-text Search Prototype Results**

Feed

Your search matched **15** of **15** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:**

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Mica: a wireless platform for deeply embedded networks

Hill, J.L.; Culler, D.E.;

Micro, IEEE , Volume: 22 , Issue: 6 , Nov.-Dec. 2002

Pages:12 - 24

[\[Abstract\]](#)[\[PDF Full-Text \(553 KB\)\]](#)**IEEE JNL****2 A software-defined communications baseband design**

Glossner, J.; Iancu, D.; Jin Lu; Hokenek, E.; Moudgill, M.;

Communications Magazine, IEEE , Volume: 41 , Issue: 1 , Jan. 2003

Pages:120 - 128

[\[Abstract\]](#)[\[PDF Full-Text \(662 KB\)\]](#)**IEEE JNL****3 An implementation of wireless sensor network**

Soo-Hwan Choi; Byung-Kug Kim; Jinwoo Park; Chul-Hee Kang; Doo-Seop Eom
Consumer Electronics, IEEE Transactions on , Volume: 50 , Issue: 1 , Feb. 200

Pages:236 - 244

[\[Abstract\]](#)[\[PDF Full-Text \(763 KB\)\]](#)**IEEE JNL****4 Go reconfigure [programmable logic in handheld devices]**

Tredennick, N.; Shimamoto, B.;

Spectrum, IEEE , Volume: 40 , Issue: 12 , 2003

Pages:36 - 40

[\[Abstract\]](#)[\[PDF Full-Text \(1955 KB\)\]](#)[\[Full-Text HTML\]](#)**IEEE JNL**

5 Network architecture for home energy management system*Inoue, M.; Higuma, T.; Ito, Y.; Kushiro, N.; Kubota, H.;*Consumer Electronics, IEEE Transactions on , Volume: 49 , Issue: 3 , Aug. 2000
Pages:606 - 613[\[Abstract\]](#) [\[PDF Full-Text \(815 KB\)\]](#) [IEEE JNL](#)

6 Stress monitoring using a distributed wireless intelligent sensor sys*Jovanov, E.; O'Donnell Lords, A.; Raskovic, D.; Cox, P.G.; Adhami, R.; Andras F.;*

Engineering in Medicine and Biology Magazine, IEEE , Volume: 22 , Issue: 3 , June 2003

Pages:49 - 55

[\[Abstract\]](#) [\[PDF Full-Text \(512 KB\)\]](#) [IEEE JNL](#)

7 Analysis of power dissipation in embedded systems using real-time operating systems*Dick, R.P.; Lakshminarayana, G.; Raghunathan, A.; Jha, N.K.;*

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on , Volume: 22 , Issue: 5 , May 2003

Pages:615 - 627

[\[Abstract\]](#) [\[PDF Full-Text \(1684 KB\)\]](#) [IEEE JNL](#)

8 Applications of asynchronous circuits*Van Berkel, C.H.; Josephs, M.B.; Nowick, S.M.;*

Proceedings of the IEEE , Volume: 87 , Issue: 2 , Feb. 1999

Pages:223 - 233

[\[Abstract\]](#) [\[PDF Full-Text \(252 KB\)\]](#) [IEEE JNL](#)

9 Platform tuning for embedded systems design*Vahid, F.; Givargis, T.;*

Computer , Volume: 34 , Issue: 3 , March 2001

Pages:112 - 114

[\[Abstract\]](#) [\[PDF Full-Text \(152 KB\)\]](#) [IEEE JNL](#)

10 A headset-based minimized wearable computer*Matsushita, S.;*

Intelligent Systems, IEEE [see also IEEE Expert] , Volume: 16 , Issue: 3 , May June 2001

Pages:28 - 32

[\[Abstract\]](#) [\[PDF Full-Text \(452 KB\)\]](#) [IEEE JNL](#)

11 Low-power system-on-chip architecture for wireless LANs*Bisdounis, L.; Dre, C.; Blionas, S.; Metafas, D.; Tatsaki, A.; Ieromnimon, F.; M E.; Rouzet, P.; Zafalon, R.; Benini, L.;*

Computers and Digital Techniques, IEE Proceedings- , Volume: 151 , Issue: 1 , Jan. 2004

Pages:2 - 15

[\[Abstract\]](#) [\[PDF Full-Text \(1649 KB\)\]](#) **IEEE JNL**

12 A simulation-based power-aware architecture exploration of a multiprocessor system-on-chip design

Menichelli, F.; Olivieri, M.; Benini, L.; Donno, M.; Bisdounis, L.;
Design, Automation and Test in Europe Conference and Exhibition, 2004.
Proceedings , Volume: 3 , 16-20 Feb. 2004
Pages:312 - 317

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) **IEEE CNF**

13 A distributed computation platform for wireless embedded sensing

Savvides, A.; Srivastava, M.B.;
Computer Design: VLSI in Computers and Processors, 2002. Proceedings. 200
IEEE International Conference on , 16-18 Sept. 2002
Pages:220 - 225

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) **IEEE CNF**

14 Power saving modes in modern microcontroller design and chip diagnostics

Jankovic, S.A.; Maksimovic, D.M.;
Microelectronics, 2002. MIEL 2002. 23rd International Conference on , Volume
2 , 12-15 May 2002
Pages:593 - 596

[\[Abstract\]](#) [\[PDF Full-Text \(226 KB\)\]](#) **IEEE CNF**

**15 IEEE Std 802.15.1 IEEE Standard for Information technology-
Telecommunications and information exchange between systems- Local
and metropolitan area networks- Specific requirements Part 15.1:
Wireless Medium Access Control (MAC) and Physical Layer (PHY)
Specifications for Wireless Personal Area Networks (WPANs)**

IEEE Std 802.15.1-2002 , 2002
Pages:0_1 - 0_3

[\[Abstract\]](#) [\[PDF Full-Text \(9782 KB\)\]](#) **IEEE STD**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online
Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved